
NMRPy Documentation

Release 0.2

Johann Eicher, Johann Rohwer

Feb 14, 2020

Contents

1	Introduction	3
2	Installation	5
2.1	Virtual environments	5
2.2	Pip install	6
2.3	Testing the installation	6
2.4	Working with NMRPy	6
3	Quickstart Tutorial	9
3.1	Importing	9
3.2	Apodisation and Fourier-transformation	10
3.3	Phase-correction	11
3.4	Peak-picking	14
3.5	Deconvolution	16
3.6	Exporting/Importing	19
3.7	Full tutorial script	19
4	Basic Data Objects	23
5	Plotting Objects	31
6	Indices and tables	33
	Python Module Index	35
	Index	37

Contents:

CHAPTER 1

Introduction

NMRPy is a Python3 module for the processing and analysis of NMR spectra. The functionality of NMRPy is structured to make the analysis of arrayed NMR spectra more intuitive.

CHAPTER 2

Installation

The following are some general guidelines for installing NMRPy, and are by no means the only way to install a Python package. First be sure to have Python 3 and `pip` installed. `Pip` is a useful Python package management system.

Note: NMRPy will not work using Python 2.

On Debian and Ubuntu-like systems these can be installed with the following terminal commands:

```
$ sudo apt install python3
$ sudo apt install python-pip
```

On Windows, the CPython download from <https://www.python.org/> comes pre-installed with `pip`.

The [Anaconda Distribution](#), which is available for Windows, MacOS and Linux, comes pre-installed with `pip` as well as most of the other dependencies required for NMRPy.

2.1 Virtual environments

Virtual environments are a great way to keep package dependencies separate from your system files. There are several options for setting up your working environment. We will use `virtualenvwrapper`, which works out of the box on Linux and MacOS. On Windows, `virtualenvwrapper` can be used under an `MSYS` environment in a native Windows Python installation. Alternatively, you can use `virtualenvwrapper-win`. This will take care of managing your virtual environments by maintaining a separate Python *site-directory* for you.

Install `virtualenvwrapper` using `pip`. On Linux and MacOS:

```
$ sudo pip install virtualenv
$ sudo pip install virtualenvwrapper
```

On Windows in a Python command prompt:

```
pip install virtualenv
pip install virtualenvwrapper-win
```

Make a new virtual environment for working with NMRPy (e.g. `nmr`), and specify that it use Python 3 (we used Python 3.7):

```
$ mkvirtualenv -p python3.7 nmr
```

The new virtual environment will be activated automatically, and this will be indicated in the shell prompt. E.g.:

```
(nmr) $
```

If you are not yet familiar with virtual environments we recommend you survey the basic commands (<https://virtualenvwrapper.readthedocs.io/en/latest/>) before continuing.

2.2 Pip install

The NMRPy code and its dependencies can be installed directly from PyPI into a virtual environment (if you are currently using one) using `pip`.

```
$ pip install nmcpy
```

2.3 Testing the installation

Various tests are provided to test aspects of the NMRPy functionality within the `unittest` framework. The tests should be run from a terminal and can be invoked with `nmcpy.test()` after importing the `nmcpy` module.

Only a specific subset of tests can be run by providing an additional argument:

```
nmcpy.test(tests='all')
```

:keyword tests: Specify tests to run (default 'all'). Running only a subset of tests can be selected using the following arguments:

'fidinit'	- Fid initialisation tests
'fidarrayinit'	- FidArray initialisation tests
'fidutils'	- Fid utilities tests
'fidarrayutils'	- FidArray utilities tests
'plotutils'	- plotting utilities tests

When testing the plotting utilities, a number of `matplotlib` plots will appear. This tests that the peak and range selection widgets are working properly; the plot windows can be safely closed.

2.4 Working with NMRPy

Though the majority of NMRPy functionality can be used purely in a scripting context and executed by the Python interpreter, it will often need to be used interactively. We suggest two ways to do this:

2.4.1 IPython

IPython is an interactive Python shell with some useful functionalities like tab-completion. This has been installed by default with NMRPy and can be launched from the command line with:

```
$ ipython
```

2.4.2 The Jupyter Notebook

For those who prefer a “notebook”-like experience, the Jupyter Notebook may be more appropriate. It has also been installed by default with NMRPy and can be launched with:

```
$ jupyter-notebook
```

Quickstart Tutorial

This is a “quickstart” tutorial for NMRPy in which an Agilent (Varian) NMR dataset will be processed. The following topics are explored:

- *Importing*
- *Apodisation and Fourier-transformation*
- *Phase-correction*
- *Peak-picking*
- *Deconvolution*
- *Exporting/Importing*
- *Full tutorial script*

This tutorial will use the test data in the nmrpy install directory:

```
nmrpy/tests/test_data/test1.fid
```

The dataset consists of a time array of spectra of the phosphoglucose isomerase reaction:

fructose-6-phosphate -> glucose-6-phosphate

3.1 Importing

The basic NMR project object used in NMRPy is the *FidArray*, which consists of a set of *Fid* objects, each representing a single spectrum in an array of spectra.

The simplest way to instantiate an *FidArray* is by using the *from_path()* method, and specifying the path of the *.fid* directory:


```
>>> import nmrpy
>>> fid_array = nmrpy.data_objects.FidArray.from_path(fid_path='./tests/test_data/
↳test1.fid')
```

You will notice that the `fid_array` object is instantiated and now owns several attributes, most of which are of the form `fidXX` where `XX` is a number starting at 00. These are the individual arrayed *Fid* objects.

3.2 Apodisation and Fourier-transformation


To quickly visualise the imported data, we can use the plotting functions owned by each *Fid* instance. This will not display the imaginary portion of the data:

```
>>> fid_array.fid00.plot_ppm()
```




We now perform apodisation of the FIDs using the default value of 5 Hz, and visualise the result:

```
>>> fid_array.emhz_fids()  
>>> fid_array.fid00.plot_ppm()
```



Finally, we Fourier-transform the data into the frequency domain:


```
>>> fid_array.ft_fids()
>>> fid_array.fid00.plot_ppm()
```




3.3 Phase-correction

It is clear from the data visualisation that at this stage the spectra require phase-correction. NMRPy provides a number of GUI widgets for manual processing of data. In this case we will use the `phaser()` method on `fid00`:

```
>>> fid_array.fid00.phaser()
```



Dragging with the left mouse button and right mouse button will apply zero- and first-order phase-correction, respectively.




Alternatively, automatic phase-correction can be applied at either the *FidArray* or *Fid* level. We will apply it to the whole array:

```
>>> fid_array.phase_correct_fids()
```


And plot an array of the phase-corrected data:

```
>>> fid_array.plot_array()
```

Zooming in on the relevant peaks, changing the view perspective, and filling the spectra produces a more interesting plot:

```
>>> fid_array.plot_array(upper_ppm=7, lower_ppm=-1, filled=True, azimuth=-76, elev=23)
```



At this stage it is useful to discard the imaginary component of our data, and possibly normalise the data (by the maximum data value amongst the *Fid* objects):


```
>>> fid_array.real_fids()
>>> fid_array.norm_fids()
```

3.4 Peak-picking

To begin the process of integrating peaks by deconvolution, we will need to pick some peaks. The `peaks` attribute of a `Fid` is an array of peak positions, and `ranges` is an array of range boundaries. These two objects are used in deconvolution to integrate the data by fitting Lorentzian/Gaussian peak shapes to the spectra. `peaks` may be specified programmatically, or picked using the interactive GUI widget:


```
>>> fid_array.peakpicker(fid_number=10)
```

Peak and range selector



Left-clicking specifies a peak selection with a vertical red line. Dragging with a right-click specifies a range to fit independently with a grey rectangle:

Peak and range selector



Inadvertent wrongly selected peaks can be deleted with Ctrl+left-click; wrongly selected ranges can be deleted with Ctrl+right-click. Once you are done selecting peaks and ranges, these need to be assigned to the `FidArray`; this is

achieved with a Ctrl+Alt+right-click.

Ranges divide the data into smaller portions, which significantly speeds up the process of fitting of peakshapes to the data. Range-specification also prevents incorrect peaks from being fitted by the fitting algorithm.


Having used the `peakpicker()` `FidArray` method (as opposed to the `peakpicker()` on each individual `Fid` instance), the peak and range selections have now been assigned to each `Fid` in the array:

```
>>> print(fid_array.fid00.peak)
[ 4.73  4.63  4.15  0.55]
>>> print(fid_array.fid00.range)
[[ 5.92  3.24]
 [ 1.19 -0.01]]
```

3.4.1 Peak-picking trace selector

Sometimes peaks are subject to drift so that the chemical shift changes over time; this can happen, e.g., when the pH of the reaction mixture changes as the reaction proceeds. NMRPy offers a convenient trace selector, with which the drift of the peaks can be traced over time and the chemical shift selected accordingly as appropriate for the particular `Fid`.


```
>>> fid_array.peakpicker_traces(voff=0.08)
```



As for the `peakpicker()`, ranges are selected by dragging the right mouse button and can be deleted with Ctrl+right-click. A peak trace is initiated by left-clicking below the peak underneath the first `Fid` in the series. This selects a point and anchors the trace line, which is displayed in red as the mouse is moved. The trace will attempt to follow the highest peak. Further trace points can be added by repeated left-clicking, thus tracing the peak through the individual `Fids` in the series. It is not necessary to add an anchor point for every `Fid`, only when the trace needs to change direction. Once the trace has traversed all the `Fids`, select a final trace point (left-click) and then finalize the trace with a right-click. The trace will change colour from red to blue to indicate that it has been finalized.

Additional peaks can then be selected by initiating a new trace. Wrongly selected traces can be deleted by Ctrl+left-click at the bottom of the trace that should be removed. Note that the interactive buttons on the matplotlib toolbar for the figure can be used to zoom and pan into a region of interest of the spectra.

Peak and range trace selector



As previously, peaks and ranges need to be assigned to the `FidArray` with Ctrl+Alt+right-click. As can be seen below, the individual peaks have different chemical shifts for the different Fids, although the drift in these spectra is not significant so that `peakpicker_traces()` need not have been used and `peakpicker()` would have been sufficient. This is merely for illustrative purposes.

```
>>> print(p.fid00.peaks)
[4.73311164 4.65010807 0.55783899 4.15787759]
>>> print(p.fid10.peaks)
[4.71187817 4.6404565 0.5713512 4.16366854]
>>> print(p.fid20.peaks)
[4.73311164 4.63466555 0.57907246 4.16366854]
```

3.5 Deconvolution


Individual `Fid` objects can be deconvoluted with `deconv()`. `FidArray` objects can be deconvoluted with `deconv_fids()`. By default this is a multiprocessed method (`mp=True`), which will fit pure Lorentzian lineshapes (`frac_gauss=0.0`) to the `peaks` and `ranges` specified in each `Fid`.

We shall fit the whole array at once:

```
>>> fid_array.deconv_fids()
```


And visualise the deconvoluted spectra:

```
>>> fid_array.fid10.plot_deconv()
```



Zooming-in to a set of peaks makes clear the fitting result:

```
>>> fid_array.fid10.plot_deconv(upper_ppm=5.5, lower_ppm=3.5)
>>> fid_array.fid10.plot_deconv(upper_ppm=0.9, lower_ppm=0.2)
```



In this case, peaks 0 and 1 belong to glucose-6-phosphate, peak 2 belongs to fructose-6-phosphate, and peak 3 belongs to triethyl-phosphate.

We can view the deconvolution result for the whole array using `plot_deconv_array()`. Fitted peaks appear in red:

```
>>> fid_array.plot_deconv_array(upper_ppm=6, lower_ppm=3)
```

Peak integrals of the array are stored in `nmrpy.data_objects.FidArray.deconvoluted_integrals`, or





Fig. 1: Black: original data; blue: individual peak shapes (and peak numbers above); red: summed peak shapes; green: residual (original data - summed peakshapes)



in each individual *Fid* as `nmrpy.data_objects.Fid.deconvoluted_integrals`.

We could easily plot the species integrals using the following code:

```
from matplotlib import pyplot as plt

integrals = fid_array.deconvoluted_integrals.transpose()

g6p = integrals[0] + integrals[1]
f6p = integrals[2]
tep = integrals[3]

#scale species by internal standard tep (5 mM)
g6p = 5.0*g6p/tep.mean()
f6p = 5.0*f6p/tep.mean()
tep = 5.0*tep/tep.mean()

species = {'g6p': g6p,
           'f6p': f6p,
           'tep': tep}

fig = plt.figure()
ax = fig.add_subplot(111)
for k, v in species.items():
    ax.plot(fid_array.t, v, label=k)

ax.set_xlabel('min')
ax.set_ylabel('mM')
ax.legend(loc=0, frameon=False)

plt.show()
```

3.6 Exporting/Importing

The current state of any *FidArray* object can be saved to file using the `save_to_file()` method:

```
>>> fid_array.save_to_file(filename='fidarray.nmrpy')
```

And reloaded using `from_path()`:

```
>>> fid_array = nmrpy.data_objects.FidArray.from_path(fid_path='fidarray.nmrpy')
```


3.7 Full tutorial script

The full script for the quickstart tutorial:

```
import nmrpy
from matplotlib import pyplot as plt

fid_array = nmrpy.data_objects.FidArray.from_path(fid_path='./tests/test_data/test1.
↳fid')
fid_array.emhz_fids()
#fid_array.fid00.plot_ppm()
```

(continues on next page)



(continued from previous page)

```

fid_array.ft_fids()
#fid_array.fid00.plot_ppm()
#fid_array.fid00.phaser()
fid_array.phase_correct_fids()
#fid_array.fid00.plot_ppm()
fid_array.real_fids()
fid_array.norm_fids()
#fid_array.plot_array()
#fid_array.plot_array(upper_ppm=7, lower_ppm=-1, filled=True, azimuth=-76, elev=23)

peaks = [ 4.73, 4.63, 4.15, 0.55]
ranges = [[ 5.92, 3.24], [ 1.19, -0.01]]
for fid in fid_array.get_fids():
    fid.peaks = peaks
    fid.ranges = ranges

fid_array.deconv_fids()

#fid_array.fid10.plot_deconv(upper_ppm=5.5, lower_ppm=3.5)
#fid_array.fid10.plot_deconv(upper_ppm=0.9, lower_ppm=0.2)
#fid_array.plot_deconv_array(upper_ppm=6, lower_ppm=3)

integrals = fid_array.deconvoluted_integrals.transpose()

g6p = integrals[0] + integrals[1]
f6p = integrals[2]
tep = integrals[3]

#scale species by internal standard tep at 5 mM
g6p = 5.0*g6p/tep.mean()
f6p = 5.0*f6p/tep.mean()
tep = 5.0*tep/tep.mean()

species = {'g6p': g6p,
           'f6p': f6p,
           'tep': tep}

fig = plt.figure()
ax = fig.add_subplot(111)
for k, v in species.items():
    ax.plot(fid_array.t, v, label=k)
ax.set_xlabel('min')
ax.set_ylabel('mM')
ax.legend(loc=0, frameon=False)
plt.show()

#fid_array.save_to_file(filename='fidarray.nmrpy')
#fid_array = nmcpy.data_objects.FidArray.from_path(fid_path='fidarray.nmrpy')

```

Basic Data Objects

class nmrpy.data_objects.**Fid**(*args, **kwargs)

The basic FID (Free Induction Decay) class contains all the data for a single spectrum (*data*), and the necessary methods to process these data.

baseline_correct (*deg*=2)

Perform baseline correction by fitting specified baseline points (stored in *_bl_ppm*) with polynomial of specified degree (stored in *_bl_ppm*) and subtract this polynomial from *data*.

Parameters *deg* – degree of fitted polynomial

baseliner ()

Instantiate a baseline-correction GUI widget. Right-click-dragging defines a range. Ctrl-Right click deletes previously selected range. Indices selected are stored in *_bl_ppm*, which is used for baseline-correction (see *baseline_correction()*).

data

The spectral data. This is the primary object upon which the processing and analysis functions work.

deconv (*method*='leastsq', *frac_gauss*=0.0)

Deconvolute *data* object by fitting a series of peaks to the spectrum. These peaks are generated using the parameters in *peaks*. *ranges* splits *data* up into smaller portions. This significantly speeds up deconvolution time.

Parameters

- **frac_gauss** – (0-1) determines the Gaussian fraction of the peaks. Setting this argument to None will fit this parameter as well.
- **method** – The fitting method to use. Default is 'leastsq', the Levenberg-Marquardt algorithm, which is usually sufficient. Additional options include:
 - Nelder-Mead (*nelder*)
 - L-BFGS-B (*l-bfgs-b*)
 - Conjugate Gradient (*cg*)
 - Powell (*powell*)

Newton-CG (newton)

deconvoluted_integrals

An array of integrals for each deconvoluted peak.

emhz (*lb=5.0*)

Apply exponential line-broadening to data array *data*.

Parameters *lb* – degree of line-broadening in Hz.

classmethod from_data (*data*)

Instantiate a new *Fid* object by providing a spectral data object as argument. Eg.

```
fid = Fid.from_data(data)
```

ft ()

Fourier Transform the data array *data*.

Calculates the Discrete Fourier Transform using the Fast Fourier Transform algorithm as implemented in NumPy (Cooley, James W., and John W. Tukey, 1965, 'An algorithm for the machine calculation of complex Fourier series,' *Math. Comput.* 19: 297-301.)

peakpick (*thresh=0.1*)

Attempt to automatically identify peaks. Picked peaks are assigned to *peaks*.

Parameters *thresh* – fractional threshold for peak-picking

peakpicker ()

Instantiate a peak-picking GUI widget. Left-clicking selects a peak. Right-click-dragging defines a range. Ctrl-left click deletes nearest peak; ctrl-right click deletes range. Peaks are stored in *peaks*; ranges are stored in *ranges*: both are used for deconvolution (see *deconv*()).

peaks

Picked peaks for deconvolution of *data*.

phase_correct (*method='leastsq'*)

Automatically phase-correct *data* by minimising total absolute area.

Parameters *method* – The fitting method to use. Default is 'leastsq', the Levenberg-Marquardt algorithm, which is usually sufficient. Additional options include:

Nelder-Mead (nelder)

L-BFGS-B (l-bfgs-b)

Conjugate Gradient (cg)

Powell (powell)

Newton-CG (newton)

phaser ()

Instantiate a phase-correction GUI widget which applies to *data*.

plot_deconv (***kwargs*)

Plot *data* with deconvoluted peaks overlaid.

Parameters

- **upper_ppm** – upper spectral bound in ppm
- **lower_ppm** – lower spectral bound in ppm
- **lw** – linewidth of plot
- **colour** – colour of the plot

- **peak_colour** – colour of the deconvoluted peaks
- **residual_colour** – colour of the residual signal after subtracting deconvoluted peaks

plot_ppm (***kwargs*)
Plot *data*.

Parameters

- **upper_ppm** – upper spectral bound in ppm
- **lower_ppm** – lower spectral bound in ppm
- **lw** – linewidth of plot
- **colour** – colour of the plot

ps (*p0=0.0, p1=0.0*)
Linear phase correction of *data*

Parameters

- **p0** – Zero order phase in degrees
- **p1** – First order phase in degrees

ranges
Picked ranges for deconvolution of *data*.

real ()
Discard imaginary component of *data*.

zf ()
Apply a single degree of zero-filling to data array *data*.

Note: extends data to double length by appending zeroes. This results in an artificially increased resolution once Fourier-transformed.

class nmrpy.data_objects.**FidArray** (**args, **kwargs*)

This object collects several *Fid* objects into an array, and it contains all the processing methods necessary for bulk processing of these FIDs. It should be considered the parent object for any project. The class methods *from_path()* and *from_data()* will instantiate a new *FidArray* object from a Varian/Bruker .fid path or an iterable of data respectively. Each *Fid* object in the array will appear as an attribute of *FidArray* with a unique ID of the form 'fidXX', where 'XX' is an increasing integer.

add_fid (*fid*)
Add an *Fid* object to this *FidArray*, using a unique id.

Parameters **fid** – an *Fid* instance

add_fids (*fids*)
Add a list of *Fid* objects to this *FidArray*.

Parameters **fids** – a list of *Fid* instances

baseline_correct_fids (*deg=2*)
Apply baseline-correction to all *Fid* objects owned by this *FidArray*

Parameters **deg** – degree of the baseline polynomial (see *baseline_correct()*)

baseliner_fids ()
Instantiate a baseline-correction GUI widget. Right-click-dragging defines a range. Ctrl-Right click deletes previously selected range. Indices selected are stored in *_bl_ppm*, which is used for baseline-correction (see *baseline_correction()*).

data

An array of all *data* objects belonging to the *Fid* objects owned by this *FidArray*.

deconv_fids (*mp=True, cpus=None, method='leastsq', frac_gauss=0.0*)

Apply deconvolution to all *Fid* objects owned by this *FidArray*, using the *peaks* and *ranges* attribute of each respective *Fid*.

Parameters

- **method** – see *phase_correct()*
- **mp** – parallelise the phasing process over multiple processors, significantly reduces computation time
- **cpus** – defines number of CPUs to utilise if 'mp' is set to True, default is n-1 cores

deconvoluted_integrals

Collected *deconvoluted_integrals*

del_fid (*fid_id*)

Delete an *Fid* object belonging to this *FidArray*, using a unique id.

Parameters *fid_id* – a string id for an *Fid*

emhz_fids (*lb=5.0*)

Apply line-broadening (apodisation) to all *nmrpy.~data_objects.Fid* objects owned by this *FidArray*

Parameters *lb* – degree of line-broadening in Hz.

classmethod from_data (*data*)

Instantiate a new *FidArray* object from a 2D data set of spectral arrays.

Parameters *data* – a 2D data array

classmethod from_path (*fid_path='.', file_format=None*)

Instantiate a new *FidArray* object from a .fid directory.

Parameters

- **fid_path** – filepath to .fid directory
- **file_format** – 'varian' or 'bruker', usually unnecessary

ft_fids (*mp=True, cpus=None*)

Fourier-transform all FIDs.

Parameters

- **mp** – parallelise over multiple processors, significantly reducing computation time
- **cpus** – defines number of CPUs to utilise if 'mp' is set to True

get_fid (*id*)

Return an *Fid* object owned by this object, identified by unique ID. Eg.:

```
fid12 = fid_array.get_fid('fid12')
```

Parameters *id* – a string id for an *Fid*

get_fids ()

Return a list of all *Fid* objects owned by this *FidArray*.

get_integrals_from_traces()

Returns a dictionary of integral values for all *Fid* objects calculated from trace dictionary *integral_traces*.

get_masked_integrals()

After *peakpicker_traces()* and *deconv_fids()* this function returns a masked integral array.

integral_traces

Returns the dictionary of integral traces generated by *select_integral_traces()*.

norm_fids()

Normalise FIDs by maximum data value in *data*.

peakpicker (*fid_number=None, assign_only_to_index=True, voff=0.02*)

Instantiate peak-picker widget for *data*, and apply selected *peaks* and *ranges* to all *Fid* objects owned by this *FidArray*. See *peakpicker()*.

Parameters

- **fid_number** – list or number, index of *Fid* to use for peak-picking. If None, data array is plotted.
- **assign_only_to_index** – if True, assigns selections only to *Fid* objects indexed by *fid_number*, if False, assigns to all
- **voff** – vertical offset for spectra

peakpicker_traces (*voff=0.02, lw=1*)

Instantiates a widget to pick peaks and ranges employing a polygon shape (or ‘trace’). This is useful for picking peaks that are subject to drift and peaks that appear (or disappear) during the course of an experiment.

Parameters

- **voff** – vertical offset fraction (0.01)
- **lw** – linewidth of plot (1)

phase_correct_fids (*method='leastsq', mp=True, cpus=None*)

Apply automatic phase-correction to all *Fid* objects owned by this *FidArray*

Parameters

- **method** – see *phase_correct()*
- **mp** – parallelise the phasing process over multiple processors, significantly reducing computation time
- **cpus** – defines number of CPUs to utilise if ‘mp’ is set to True

plot_array (***kwargs*)

Plot *data*.

Parameters

- **upper_index** – upper index of array (None)
- **lower_index** – lower index of array (None)
- **upper_ppm** – upper spectral bound in ppm (None)
- **lower_ppm** – lower spectral bound in ppm (None)
- **lw** – linewidth of plot (0.5)
- **azim** – starting azimuth of plot (-90)

- **elev** – starting elevation of plot (40)
- **filled** – True=filled vertices, False=lines (False)
- **show_zticks** – show labels on z axis (False)
- **labels** – under development (None)
- **colour** – plot spectra with colour spectrum, False=black (True)
- **filename** – save plot to .pdf file (None)

plot_deconv_array (***kwargs*)

Plot all *data* with deconvoluted peaks overlaid.

Parameters

- **upper_index** – upper index of Fids to plot
- **lower_index** – lower index of Fids to plot
- **upper_ppm** – upper spectral bound in ppm
- **lower_ppm** – lower spectral bound in ppm
- **data_colour** – colour of the plotted data ('k')
- **summed_peak_colour** – colour of the plotted summed peaks ('r')
- **residual_colour** – colour of the residual signal after subtracting deconvoluted peaks ('g')
- **data_filled** – fill state of the plotted data (False)
- **summed_peak_filled** – fill state of the plotted summed peaks (True)
- **residual_filled** – fill state of the plotted residuals (False)
- **figsize** – [x, y] size of plot ([15, 7.5])
- **lw** – linewidth of plot (0.3)
- **azim** – azimuth of 3D axes (-90)
- **elev** – elevation of 3D axes (20)

ps_fids (*p0=0.0, p1=0.0*)

Apply manual phase-correction to all *Fid* objects owned by this *FidArray*

Parameters

- **p0** – Zero order phase in degrees
- **p1** – First order phase in degrees

real_fids ()

Discard imaginary component of FID data sets.

save_to_file (*filename=None*)

Save *FidArray* object to file, including all objects owned.

Parameters **filename** – filename to save *FidArray* to

select_integral_traces (*voff=0.02, lw=1*)

Instantiate a trace-selection widget to identify deconvoluted peaks. This can be useful when data are subject to drift. Selected traces on the data array are translated into a set of nearest deconvoluted peaks, and saved in a dictionary: *integral_traces*.

Parameters

- **voff** – vertical offset fraction (0.01)
- **lw** – linewidth of plot (1)

t

An array of the acquisition time for each FID.

zf_fids()

Zero-fill all *Fid* objects owned by this *FidArray*

Plotting Objects

```
class nmrpy.plotting.DataPeakRangeSelector (fid_array, peaks=None, ranges=None,
                                             y_indices=None, aoti=True, voff=0.001,
                                             lw=1, label=None)
```

Interactive data-selection widget with lines and ranges. Lines and spans are saved as self.peaks, self.ranges.

```
class nmrpy.plotting.DataPeakSelector (fid, peaks=None, ranges=None, voff=0.001, lw=1, label=None, title=None)
```

Interactive data-selection widget with lines and ranges for a single Fid. Lines and spans are saved as self.peaks, self.ranges.

```
class nmrpy.plotting.DataSelector (data, params, extra_data=None, extra_data_colour='k',
                                     peaks=None, ranges=None, title=None, voff=0.001, label=None)
```

Interactive selector widget. can inherit from various mixins for functionality: Line selection: LineSelectorMixin Span selection: SpanSelectorMixin Poly selection: PolySelectorMixin

This class is not intended to be used without inheriting at least one mixin.

```
class nmrpy.plotting.DataTraceRangeSelector (fid_array, peaks=None, ranges=None,
                                              voff=0.001, lw=1, label=None)
```

Interactive data-selection widget with traces and ranges. Traces are saved as self.data_traces (WRT data) and self.index_traces (WRT index). Spans are saved as self.spans.

```
class nmrpy.plotting.DataTraceSelector (fid_array, extra_data=None, extra_data_colour='b',
                                          voff=0.001, lw=1, label=None)
```

Interactive data-selection widget with traces and ranges. Traces are saved as self.data_traces (WRT data) and self.index_traces (WRT index).

```
class nmrpy.plotting.FidArrayRangeSelector (fid_array, ranges=None, y_indices=None,
                                             voff=0.001, lw=1, title=None, label=None)
```

Interactive data-selection widget with ranges. Spans are saved as self.ranges.

```
class nmrpy.plotting.FidRangeSelector (fid, title=None, ranges=None, y_indices=None,
                                         voff=0.001, lw=1, label=None)
```

Interactive data-selection widget with ranges. Spans are saved as self.ranges.

```
class nmrpy.plotting.IntegralDataSelector (data, params, extra_data=None, extra_data_colour='k', peaks=None, ranges=None, title=None, voff=0.001, label=None)

class nmrpy.plotting.LineSpanDataSelector (data, params, extra_data=None, extra_data_colour='k', peaks=None, ranges=None, title=None, voff=0.001, label=None)

class nmrpy.plotting.PeakTraceDataSelector (data, params, extra_data=None, extra_data_colour='k', peaks=None, ranges=None, title=None, voff=0.001, label=None)

class nmrpy.plotting.Phaser (fid)
    Interactive phase-correction widget

class nmrpy.plotting.Plot
    Basic 'plot' class containing functions for various types of plots.

class nmrpy.plotting.SpanDataSelector (data, params, extra_data=None, extra_data_colour='k', peaks=None, ranges=None, title=None, voff=0.001, label=None)
```

CHAPTER 6

Indices and tables

- `genindex`
- `modindex`
- `search`

n

`nmrpy.data_objects`, [23](#)

`nmrpy.plotting`, [31](#)

A

`add_fid()` (*nmrpy.data_objects.FidArray* method), 25
`add_fids()` (*nmrpy.data_objects.FidArray* method), 25

B

`baseline_correct()` (*nmrpy.data_objects.Fid* method), 23
`baseline_correct_fids()` (*nmrpy.data_objects.FidArray* method), 25
`baseliner()` (*nmrpy.data_objects.Fid* method), 23
`baseliner_fids()` (*nmrpy.data_objects.FidArray* method), 25

D

`data` (*nmrpy.data_objects.Fid* attribute), 23
`data` (*nmrpy.data_objects.FidArray* attribute), 25
`DataPeakRangeSelector` (class in *nmrpy.plotting*), 31
`DataPeakSelector` (class in *nmrpy.plotting*), 31
`DataSelector` (class in *nmrpy.plotting*), 31
`DataTraceRangeSelector` (class in *nmrpy.plotting*), 31
`DataTraceSelector` (class in *nmrpy.plotting*), 31
`deconv()` (*nmrpy.data_objects.Fid* method), 23
`deconv_fids()` (*nmrpy.data_objects.FidArray* method), 26
`deconvoluted_integrals` (*nmrpy.data_objects.Fid* attribute), 24
`deconvoluted_integrals` (*nmrpy.data_objects.FidArray* attribute), 26
`del_fid()` (*nmrpy.data_objects.FidArray* method), 26

E

`emhz()` (*nmrpy.data_objects.Fid* method), 24
`emhz_fids()` (*nmrpy.data_objects.FidArray* method), 26

F

`Fid` (class in *nmrpy.data_objects*), 23

`FidArray` (class in *nmrpy.data_objects*), 25
`FidArrayRangeSelector` (class in *nmrpy.plotting*), 31
`FidRangeSelector` (class in *nmrpy.plotting*), 31
`from_data()` (*nmrpy.data_objects.Fid* class method), 24
`from_data()` (*nmrpy.data_objects.FidArray* class method), 26
`from_path()` (*nmrpy.data_objects.FidArray* class method), 26
`ft()` (*nmrpy.data_objects.Fid* method), 24
`ft_fids()` (*nmrpy.data_objects.FidArray* method), 26

G

`get_fid()` (*nmrpy.data_objects.FidArray* method), 26
`get_fids()` (*nmrpy.data_objects.FidArray* method), 26
`get_integrals_from_traces()` (*nmrpy.data_objects.FidArray* method), 26
`get_masked_integrals()` (*nmrpy.data_objects.FidArray* method), 27

I

`integral_traces` (*nmrpy.data_objects.FidArray* attribute), 27
`IntegralDataSelector` (class in *nmrpy.plotting*), 32

L

`LineSpanDataSelector` (class in *nmrpy.plotting*), 32

N

`nmrpy.data_objects` (module), 23
`nmrpy.plotting` (module), 31
`norm_fids()` (*nmrpy.data_objects.FidArray* method), 27

P

`peakpick()` (*nmrpy.data_objects.Fid* method), 24

[peakpicker\(\)](#) (*nmrpy.data_objects.Fid method*), 24
[peakpicker\(\)](#) (*nmrpy.data_objects.FidArray method*), 27
[peakpicker_traces\(\)](#) (*nmrpy.data_objects.FidArray method*), 27
[peaks](#) (*nmrpy.data_objects.Fid attribute*), 24
[PeakTraceDataSelector](#) (*class in nmrpy.plotting*), 32
[phase_correct\(\)](#) (*nmrpy.data_objects.Fid method*), 24
[phase_correct_fids\(\)](#) (*nmrpy.data_objects.FidArray method*), 27
[Phaser](#) (*class in nmrpy.plotting*), 32
[phaser\(\)](#) (*nmrpy.data_objects.Fid method*), 24
[Plot](#) (*class in nmrpy.plotting*), 32
[plot_array\(\)](#) (*nmrpy.data_objects.FidArray method*), 27
[plot_deconv\(\)](#) (*nmrpy.data_objects.Fid method*), 24
[plot_deconv_array\(\)](#) (*nmrpy.data_objects.FidArray method*), 28
[plot_ppm\(\)](#) (*nmrpy.data_objects.Fid method*), 25
[ps\(\)](#) (*nmrpy.data_objects.Fid method*), 25
[ps_fids\(\)](#) (*nmrpy.data_objects.FidArray method*), 28

R

[ranges](#) (*nmrpy.data_objects.Fid attribute*), 25
[real\(\)](#) (*nmrpy.data_objects.Fid method*), 25
[real_fids\(\)](#) (*nmrpy.data_objects.FidArray method*), 28

S

[save_to_file\(\)](#) (*nmrpy.data_objects.FidArray method*), 28
[select_integral_traces\(\)](#) (*nmrpy.data_objects.FidArray method*), 28
[SpanDataSelector](#) (*class in nmrpy.plotting*), 32

T

[t](#) (*nmrpy.data_objects.FidArray attribute*), 29

Z

[zf\(\)](#) (*nmrpy.data_objects.Fid method*), 25
[zf_fids\(\)](#) (*nmrpy.data_objects.FidArray method*), 29